





FILE NO.: 1300-025
APPROVAL DATE: JUNE 1999
REVISION NO.:
REVISION DATE:



CEDAR RAPIDS METROPOLITAN AREA
STANDARD DETAILS FOR PUBLIC IMPROVEMENTS

CURB INLET PROTECTION

NO.
1300-025

PROJECT NO: HX0789
DRAWN BY: BGA
APPROVED BY: GMH
DATE: 10/10/2012

NO.	REVISION DESCRIPTION	APPROVED	DATE



NOTES:
1. THE TOP OF THE FRAME (PONDING HEIGHT) MUST BE WELL BELOW THE GROUND ELEVATION
DOWNSLOPE TO PREVENT RUNOFF FROM BYPASSING THE INLET. A TEMPORARY DIKE MAY
BE NECESSARY ON THE DOWNSLOPE SIDE OF THE STRUCTURE.

FILE NO.: 1300-040
APPROVAL DATE: JUNE 1999
REVISION NO.:
REVISION DATE:

CEDAR RAPIDS METROPOLITAN AREA
STANDARD DETAILS FOR PUBLIC IMPROVEMENTS

SILT FENCE
SEDIMENT BARRIER AT AREA INTAKE

NO.
1300-040

ALLTRANS, INC.
4403 1st Avenue S.E.
Cedar Rapids, Iowa 52402
Phone: (319) 393-8726

City of Holy Cross Subdivision No.3
Dubuque County, Iowa

Legend, Standard Details, And Bench Mark
Information

SHEET NO.
B.04
or
B.17